



DEPARTMENT OF THE NAVY
COMMANDER, CARRIER AIR WING RESERVE 20
NAVAL AIR STATION ATLANTA
MARIETTA, GA 30060-5099

COMCVWR-20INST 13080.1Q
N423:sas
21 OCT 1998

COMCARAIRWINGRES TWO ZERO INSTRUCTION 13080.1Q

Subj: ASSIGNMENT OF AIR WING AIRCRAFT MARKINGS

Ref: (a) OPNAVINST 3710.7Q
(b) COMNAVAIRESFORINST 3561.1B
(c) MIL-STD-2161(AS)

Encl: (1) (Sample) CVWR-20 Unit Identifier Layout

1. **Purpose.** To assign side numbers/unit identification letters for CVWR-20 aircraft.
2. **Cancellation.** } COMCVWR-20INST 13080.1P
3. **Action**

a. Side numbers are assigned as follows per references (a) through (c).

<u>Squadron</u>	<u>Side Numbers</u>
VFC-12	00-15
VFC-13	00-30
VAW-77	00-04
VAW-78	600-604
VF-201	100-115
VFA-203	300-315
VFA-204	400-415
VAQ-209	620-625

b. The unit identification letters "AF" are assigned to CVWR-20 aircraft. The unit identifier shall be applied to both sides of the vertical tail surfaces above the horizontal stabilizer, centered on the vertical surfaces. On multiple tail aircraft, the marking shall appear on the outboard sides only. The unit identification letters shall be applied with the intent of retaining the symmetry and appearance, as depicted in enclosure (1). The size of the identification letters shall be per appendix C of reference (c).

COMCVWR-20INST 13080.1Q

21 OCT 1990

c. VF, VFA, VAQ and VAW aircraft will have USS JOHN F. KENNEDY (CV-67) painted above "NAVY" on the aft fuselage.


M. K. HORNE

Distribution: (COMCVWR-20INST 5216.1K)

List I(H) Case A

Copy to:


CNO (OP-04R)

COMNAVAIRLANT

COMCVWR-20INST 13080. 1Q

21 OCT 1990

SAMPLE
COMCVWR-20 AIRCRAFT UNIT IDENTIFIER



Enclosure (1)